

DM-Model	500	900	1,500	3,000	6,000	9,000	11,000	13,000
CAPACITY								
Warm Water Vol (gal)	570	960	1,585	3,100	6,020	9,180	11,300	13,300
(l)	2,158	3,634	6,000	11,734	22,788	34,749	42,774	50,345
Net, Liquid (gal)	530	900	1,490	3,000	5,880	8,900	11,000	13,000
(l)	2,006	3,407	5,640	11,356	22,258	33,689	41,638	49,309
Oxygen (1,000 cu ft)	61.0	104.0	171.0	345.3	676.8	1,024.4	1,266.0	1,496.0
(cu m)	1,603	2,737	4,497	9,076	17,790	26,9326	33,277	39,322
Nitrogen (1,000 cu ft)	49.3	83.8	138.4	279.3	547.5	828.7	1,024.0	1,210.0
(cu m)	1,296	2,203	3,638	7,341	14,391	21,782	26,916	31,805
Argon (1,000 cu ft)	59.6	101.2	167.6	337.5	661.5	1,001.3	1,237.0	1,462.0
(cu m)	1,567	2,660	4,405	8,871	17,388	26,319	32,515	38,429
DIMENSIONS								
Height (ft-in)	15-6	15-9	15-9	15-11	26-2	29-7	31-5	36-0
(m)	4.7	4.8	4.8	4.9	8.0	9.0	9.6	11.0
Diameter (ft-in)	5-0	6-6	6-6	8-0	8-0	9-6	10-2	10-2
(m)	1.5	1.9	1.9	2.4	2.4	2.9	3.1	3.1
WEIGHT								
Tare (1,000 lb)	5.5	9.5	10.5	15.5	27.9	37.0	47.0	50.0
(1,000 kg)	2.5	4.3	4.8	7.0	12.7	16.8	21.3	22.7
Gross, Full Oxygen	10.5	18.1	24.8	44.1	83.9	121.8	152.0	174.0
(1,000 lb)	4.8	8.2	11.2	20.0	38.1	55.2	68.9	78.9
(1,000 kg)								
Nitrogen (1,000 lb)	9.1	15.6	20.6	35.7	67.7	97.0	121.0	138.0
(1,000 kg)	4.1	7.1	9.3	16.2	30.7	44.0	54.9	62.6
Argon (1,000 lb)	11.7	20.0	28.0	50.4	96.3	140.5	175.0	201.0
(1,000 kg)	5.3	9.1	12.7	22.9	43.7	63.7	79.4	91.2
Normal Evaporation O2 (% capacity/day)*	0.55	0.40	0.40	0.50	0.30	0.26	0.25	0.23
Maximum Working Pressure (psig)	-----250-----							
(bar/kPa)	-----17.2/1724-----							

Specifications are general and are subject to change without notice.

* Normal evaporation rate based on net liquid capacity.